




# PracticeDump



Microsoft MB5-705 Q&A - in .pdf	Microsoft MB5-705 Value Pack (Frequently Bought Together)	Microsoft MB5-705 Q&A - Testing Engine
	Exam Code: MB5-705	
Exam Code: MB5-705	Exam Name: Managing Microsoft Dynamics Implementations	Exam Code: MB5-705
Exam Name: Managing Microsoft Dynamics Implementations		Exam Name: Managing Microsoft Dynamics Implementations
PDF Version: V12.75	Online Testing Engine supports Windows / Mac / Android / iOS, etc., because it is the software based on WEB browser.	PC Software Version: V12.75
Updated: 07-11,2014	<b>If you purchase Microsoft MB5-705 Value Pack, you will also own the free online Testing Engine.</b>	Updated: 07-11,2014
Q & A: 76 Questions and Answers	Value Package Version: V12.75	Q & A: 76 Questions and Answers
Convenient, easy to study. Printable Microsoft MB5-705 PDF Format. It is an electronic file format regardless of the operating system platform. 100% Money Back Guarantee.	Updated: 07-11,2014	Uses the World Class MB5-705 Testing Engine. Free updates for one year. <b>Real MB5-705 exam</b> questions with answers. Install on multiple computers for self-paced, at-your-convenience training.
PDF Price: <del>\$55.00</del>	Q & A: 76 Questions and Answers	Testing Engine Price: <del>\$55.00</del>
<a href="#">Free Demo</a>	MB5-705 PDF + PC Testing Engine + Online Testing Engine	<a href="#">Testing Engine</a>
<a href="#">Add To Cart</a>	Value Pack Total: <del>\$460.00</del> <b>\$69.80</b>	<a href="#">Add To Cart</a>
	<b>Save 49%</b>	
	<a href="#">Add To Cart</a>	

<http://www.practicedump.com>

Free Practice Dumps - Unlimited Free Access of practice exam

**Exam** : **E20-368**

**Title** : Specialist - Implementation  
Engineer, XtremIO Solutions  
Exam

**Vendor** : EMC

**Version** : DEMO

**NO.1** Which Storage Controller port is assigned a public IP address?

- A. MGMT-1
- B. MGMT-3
- C. MGMT-4
- D. MGMT-2

**Answer:** A

**NO.2** What enables the aggregation of RAM between Storage Controllers in an XtremIO cluster?

- A. LCC
- B. MIBE
- C. XDP
- D. RDMA

**Answer:** D

**NO.3** You are presenting storage to a VMware cluster that performs variable block writes. What block size should you configure the XtremIO volume to use?

- A. 8 KB
- B. 512 B
- C. 63 offset
- D. 4 KB

**Answer:** B

**NO.4** Which IP address on the physical XMS should you connect to perform initial configuration?

- A. 128.221.252.2
- B. 10.0.0.1
- C. 192.168.0.1
- D. 169.254.254.1

**Answer:** D

**NO.5** Which equation determines the value of the deduplication ratio?

- A. "Unique Data" divided by "Physical Space Used"
- B. "Volume Capacity" divided by "Physical Space Used"
- C. "Logical Space in Use" divided by "Unique Data"
- D. "Logical Space in Use" divided by "Physical Space Used"

**Answer:** C

**NO.6** What are the four severity levels that can be displayed with the alert details?

- A. Warning, error, critical, and alert
- B. Notice, warning, alert, and error
- C. Informational, minor, major, and critical
- D. Informational, warning, error, and critical

**Answer:** C

**NO.7** An IT service provider is planning to deploy two XtremIO clusters with four X-Bricks each. Both the clusters should be managed by dedicated storage specialists.

What is a consideration for this deployment?

- A.** One XMS must be deployed for each cluster
- B.** Physical XMS is not supported for multi-cluster management
- C.** 8912 volumes can be managed by XMS from all clusters
- D.** Only 256 volumes are supported per Consistency Group

**Answer:** A

**NO.8** You are connecting a host with two Fibre Channel HBAs to an XtremIO array. The array is a dual X-Brick connected to two Fibre Channel switches. An additional requirement is that the host be able to communicate to all Storage Controllers.

Which front end ports would meet these requirements?

- A.** X1-SC1-FC1, X1-SC2-FC1, X3-SC1-FC1, and X4-SC1-FC1
- B.** X1-SC1-FC1, X1-SC2-FC2, X3-SC1-FC1, and X4-SC2-FC2
- C.** X1-SC1-FC1, X1-SC2-FC2, X2-SC1-FC1, and X2-SC2-FC2
- D.** X1-SC1-FC1, X2-SC2-FC1, X2-SC1-FC1, and X2-SC2-FC2

**Answer:** C

**NO.9** Which port on the Storage Controller is used to communicate with the XMS?

- A.** IPMI
- B.** TECH
- C.** Management
- D.** InfiniBand

**Answer:** C

**NO.10** Which user account should be used to place software images on the XMS in preparation for initializing a cluster?

- A.** admin
- B.** xinstall
- C.** xmsadmin
- D.** xmsupload

**Answer:** D